

SUZUKI RM125X MOTOCROSSER

FLAT-OUT FULL FLOATER

Better late than never

Timing is everything. Johnny Carson can ease out a one-liner and bring chuckles and grins from the audience. Your Uncle Ernie tells the same joke, word for word, and everybody heads off for a fresh beer.

Yes, timing is critical in the mosickle business, too. Especially in the 125 class, where impulse buyers abound. What's hot and new, sells. Everything else languishes on the dealers' floors.

Kawasaki came out first ... their 125 bristling with horsepower. But, alas, it was air-cooled and the reception was less than wonderful. Still, because they did get out early and had an improved engine, they sold more units than they would have otherwise. Good timing.

Yamaha and Honda blitzed the public a month later with all-new hardware. And, as the rumors had predicted, both were radically changed and water-cooled to boot.

The battle was shaping up nicely. Some folks jumped right in and bought a KX, YZ or a CR, while others thought they'd wait just a few weeks for the Suzukis. After all, they could be hot this year. And no 125 racer wants to be seen on anything but the hottest equipment.

The patient waited. And waited. And waited some more. Excuses were given. Stories fabricated. Delay after delay. There were those in the industry who thought that Suzuki might have committed moto-cide by waiting too long.

But, when the first of the RMs hit the dealers' floors, they were snapped



up and rushed off to the race tracks. Perhaps Suzuki tantalized the racing public so much that it nearly drove them mad with anticipation.

Timing? Or just luck?

Was it worth the wait?

If you race on bumpy, rough tracks, yes. If you compete on mostly easy, smooth, high-speed tracks, no.

You see, what makes the RM125 a great bike—instead of just a good bike—is that magical rear suspension. Just like its big brother, the RM250X, the 125 literally eats the whoops and ruts. The harder they're hit, the better the bike works. It feels like a junior version of the RM250 we tested last month, and, for all practical purposes, it is.

Blanket statements, right up front

Question:—Is it as fast as the YZ-125H?

Answer:—No. In a corner-to-corner race, the YZ is a fraction quicker. Maybe a length at most. But, it's not slow.

Question:—How's the suspension compared to the YZ?

Answer: Better; far better at the rear and about the same up front.

Question: Which one turns best? Answer:—Easy, the YZ.


Question:—Which one will turn the

Question:—Which one will turn the fastest lap times?

Answer:— On a rough track, the RM, riding skill being equal. On a turning track filled with tight twisties, probably the YZ. On a smooth, fast track, the YZ.









Make checks (U.S. funds) payable to **Plus Products**, Box 14945, Las Vegas, Nevada 89114

Canadian add \$1, other foreign add \$2 (U.S. funds).

DB7-1

Flash 'em your true colors—join the Action Team

CAPS — The perfect fit for all seasons. One size fits all.

WALLETS — Strong, durable, brilliant colors, holds all kinds of money. Special see-through plastic card holder included. Don't delay. Order now!

ICAN'T WAIT - SEND ME:

MOTOCROSS ACTION Cap: ☐ RED ☐ BLUE DIRT BIKE Cap: ☐ RED ☐ BLUE \$6.95 each plus \$1.50 postage and handling.

NAME _____ADDRESS_____

CITY/STATE/ZIP

SUZUKI RM125X

Why it does what it does

Now that we've given away all of the answers instead of making you wait until the end of the test, you are under a sacred obligation to find out why these things are.

That rear end

It's called a Full Floater, which is nothing more than a clever name for a rising rate suspension. For a relatively ungarbled explanation of this rising rate stuff, please steal a copy of last month's *Dirt Bike* and read the RM250 test. We will not repeat ourselves just to inform a non-regular reader. Suffice it to say, the Full Floater is a variable suspension lever ratio setup that works nice and soft on the small bumps and firms up for bumps that take the suspension into the deep part of its stroke.


A single, upright aluminum-bodied shock is mounted rather far forward on the massive aluminum alloy swingarm and is connected to a rocker by a pair of rods. According to the Suzuki people, the shock is compressed from both ends, rather than being squeezed from the bottom, as in a conventional shock. Hence, the floating load yields the name.

To appreciate the action of the FF rear end, find a nice, miserable section of real estate with some genuine bumps. None of that namby-pamby terrain. We mean stuff that'll push your kidneys right through the top of your helmet.

Now go out and make a pass through this section at a reasonable speed. Then, hit it again at a slightly increased speed. Keep it up until fear or common sense forces you to quit. Because the bike won't. As long as that throttle is kept pegged and the rear wheel is driving, the Suzuki will suck up any bumps in its path.


One word of caution: While you're indulging in this controlled lunacy, do not back off the throttle. If you do, all of the good manners of the RM go right out the window with the dirty bath water and the dead parakeet. Not a pretty picture, to say the least.

One can safely call the RM a "poweron" handler. When you decide to come down from speed, as during breaking for a turn, your weight must be kept well back—more so than with other bikes. The front end has a tendency to squat. Not as bad as the RM-250, but it's still there.



Although the radiator looks to be in a vulnerable area, we experienced no problems with occasional crashes; but in a muddy, sloppy race, it would pack with mud.





The small, finless cylinder looks small but don't be fooled; it's potent. Nestled under the tank is the floater reservoir, quite a distance from the shock itself.



Probably the best rear end on the market, the Floater swingarm is an aluminum number—and very rigid.

Forks alive!

While we thought the forks on the 250 were adequate, on the 125 they're very good units. The 125 is a lighter, shorter machine, with a bit less travel than the 250. Because the forks perform so well on the 125, it's our guess that they're not all that far off on the 250.

We'd have to rate the bump-absorbing ability of the forks at least as high as those on the Yamaha, which has been our standard of excellence for 125s so far this year.

We ran no air in the forks on our test bike, but we did raise the oil level about 15mm over the stock recommendations. But then, our test riders are heavier than the average 125 rider. This alone speaks highly of the suspension on the RM125. If a pair of twohundred-pounders can ride and enjoy the RM125 in basically stock trim, then it has to be a decent setup.

Suzuki recommends 10-weight oil in the forks. Later in the test we tried a 6-weight oil and were pleased with the results. The ability to absorb sharp bumps was improved dramatically, even though there was a slight bottoming on the very worst jumps with the heavier riders aboard. With the lighter oil, the rebound stroke was a bit quicker, but as long as we rode the bike in a thoroughly aggressive manner, this was an advantage. A beginner, or Novice-level rider, might want to stay with the 10-weight oil.

Stuffing, turning, pivots and divots

You might say that the RM125 turns like it takes the bumps: under power,

SUZUKI RM125X



SUZUKI RM125X

Name and model Suzuki RM125X	
Engine type Single-cylinder, water-cooled	
Bore and stroke	
(2.126 inches x 2.126 inches)	
Displacement 123cc (7.5 cubic inches)	
	-
Horsepower	
Factory recommended jetting:	
Main jet	10-1
Needle iet	150
Jet needle	
Pilot jet	
Slide number	
Recommended gasoline Premium	
02 plup cotano	
Fuel tank capacity 6.5 liters (1.7 gallons)	
Fuel tank material	
Lubrication Oil in gas pre-mix	
Lubrication Oil in gas, pre-mix Recommended oil Suzuki C:C.1 at 20:1 ratio	
Oil canacity N/A	
Oil capacity	
Clutch type Wet, multi-plate	
Transmission Six-speed constant mesh	
Gear box ratios:	
1	
2	
3	
4	
5	
6	
Gearing, front/rear	
Ignition Suzuki PEI, CDI Primary kick system? Yes	
Primary kick system?Yes	
Recommended spark plug NGK B8EGV	
ND W24ES-G	
Silencer/spark arrestor/	
quality Silencer only, fairly noisy	

Exhaust system High Frame, type Single of	
Wheelbase	
Ground clearance	
Seat height	
Steering head angle	
Trail	. 121mm (4.76 inches)
Weight with one gallon ga	s 204 pounds
Rim material	(dry, 194 pounds)
	Aluminum alloy
Tire size and type:	
Front	
Rear	
Suspension, type and trav	
Front	Air/oil, telescopic
	Eddinin (() FFF II (d) (d)
RearSi	
	312mm (12.28 inches)
Intended use	
Country of origin	
Approx. retail price	
Distributor:	
U.S. Suzuki	
3251 East Imperial Hwy.	
P.O. Box 1100	
Brea, California 92621	
Overall rating, 0 to 100, var	
keeping intended use of m	
Handling	
Suspension	
	(rear, 99; front, 97)
Power	
Cost	
Attention to detail	90

or not at all. Try to steer the RM through a flat corner with the power partially on, and who knows where the front end will go? It might move over a few feet, or merely wiggle out enough to scare you silly. But, if you nail the throttle and get that rear wheel driving, the front end will snap right into line and go where your body-lean directs the bike.

Oddly, you can enter that same flat turn with the power completely chopped off, and, if your weight is forward, you can do a tidy little pivot quite nicely, thank you. However, as soon as the RM is just about through with the off-power flop-turn, it's best to get right back on the power—and get on it hard!

Effectiveness, stone stock97

Driving forces, motivations and forward motion

We already told you that the YZ was fractionally quicker and ruined the suspense for you. But what kind of power does the RM125X produce? Think back, if you will, to the RM125C bike. Well, it's that sort of spread of power, but a lot more of it everywhere. There is nothing to speak of at the bottom; the midrange comes on at a decent



X Y Y Y C Y A T A T A T A

The new 1981 **MOTO-X FOX CATALOG** is hot off the press! 64 color drenched pages full of the latest in SuperFox clothing, Fox Factory suspension and Moto-X Fox accessories.

• FREE! Team Moto-X Fox & Fox Factory stickers with each catalog order.

• \$5 DISCOUNT! With catalog purchase you receive a \$5 discount coupon good for \$5 off a minimum purchase from Moto-X Fox.

Enclosed please find \$5.00, please send me a copy of the new 1981 MOTO-X FOX catalog, plus free stickers and \$5.00 discount coupon.

Name:	
Address:	

DE

Moto-X Fox, 520 McGlincy Lane, Campbell, CA 95008, U.S.A.

Tom's Thumper Thunder 250 Yamaha



"When we got our first Yamaha TT250," says Dan White, it didn't take brother Tom long to "adopt" it as his own. He built a longer swingarm for better handling, designed a new spring for the monoshock, lengthened the travel to 10 inches and added an oil reservoir. Up front he bumped the fork travel to 10 inches and installed air caps. "Then he attacked the motor. He started with a high compression 250, then went to a 265cc and when that was perfected, took it a step further to a 272cc motor. He added a cam, ported the head, built a pipe with a Super Trapp silencer and topped it off with an airbox, custom-made manifold, 34mm DelOrto pumper carb and a whirlpool throttle."

"When it was all done Tom had a fire breathing 272cc TT Yamaha that works so well we can't get him off it. If you want the absolute TT250 we can take yours and make it just like Tom's—a competitive four stroke that's an absolute blast to ride."

The Wizards at White Bros-they created Thumper Thunder!



11611 Salinaz Dr. Suite "M" Garden Grove, CA 92643 (714)-638-1653

SUZUKI RM125X

time with proper punch and the engine will rev out nicely. Not overwhelming, but good, useable, 125 racer-type power.

A few folks told us that the air box setup on the RM was on the restrictive side, so we tried a small experiment. After cleaning the bike one day, we removed the right side filters completely and made a pass or two down the pavement. The bike did feel stronger, but naturally, there was a hint of detonation telling us that no air box modifications should be made without the proper re-jetting.


Watercooling...Suzuki style

It seems that everyone has their own approach to just where that cumbersome radiator ought to be. Most 125 racers agree that watercooling is a necessary evil on the small bikes. Yamaha mounts their radiator on the forks. Honda slips a pair of them up high on the tank. KTM mounts theirs cleverly in a horizontal position under the tank. Suzuki chooses to mount the cooler on the frame downtube. It's lower than the rest, but a bit vulnerable to damage. Kawasaki keeps theirs on the shelf in the back of the factory.

Of the four different approaches, we like the well-thought-out KTM system the best; the Suzuki system the next best, although the radiator is partially blocked off from a clean air flow by the front wheel and fender. To compensate for this, Suzuki has a large cowling that scoops air into the radiator. It also scoops in anything else that might happen to be in the air at the same time. A sturdy screen protects the cooling fins from rocks and debris, but mud can collect easily. With each Suzuki, there's a plastic louver kit that can be clipped in place. This is supposed to keep excess mud from building up. What you end up with is a radiator grill that looks like a venetian blind designed by an Iranian rugmaker. Odd, at best.

Still, the radiator does a great job of cooling. We rode the RM in one race on a very sloppy, over-watered track and a great deal of goop got on the radiator. No problem.

It takes a great deal of time to warm up the RM125 properly. The Race Preparation Manual supplied with each RM warns that at least three to five minutes of fast idle are needed before the bike should be ridden. Not only will the bike run poorly if it isn't



warmed up, but there's the distinct possibility of a cold seizure. This occurs when the metals haven't reached their proper expansion and the bike is run too hard. We found it best to warm the bike up at least five minutes at a fast idle, then make a half-dozen passes through the gears to clean the motor out, before reporting to the starting line. Failure to go through this ritual just about guarantees a blubbery, ratty start every time.

Our test bike was dropped a few times. We fully expected to rip off the plastic cowling in a low side, but this never occurred.

Minor problems

The rear edge of the saddle, near the fender, ripped open for no apparent reason. Inspection showed that the white plastic base underneath is very sharp and actually cuts through the thinnish vinyl covering. The same thing happened to our RM250. We checked out some other Suzukis and found this to be a common problem.

It was next to impossible to keep the rear fender on. It's attached to the back of the saddle by small bolts and, in spite of regular tightening, they kept falling out. We had to resort to DiscLock washers and Loctite.

When abused, our clutch started to protest. The hand lever would start losing some of its throw and we'd have to ride for a while without using the clutch, until it cooled down. It would return fairly soon. To play it safe, we suggest that all RM125X owners change the gearbox oil after each race day.

HI-POINT * RACING *



ENDORSED BY KEITH McCARTY




The very finest twin-stage foam air filters for all popular dirt bikes.

The outer stage is of a semi-coarse open pore foam to catch all large and medium size particles down to 375 microns. It also allows full breathing.

The inner layer is a very fine open pore foam that will catch all small and extra small particles that may have penetrated the outer stage down to 180 microns.

The sealing foam is a closed cell foam to prevent particles from passing through to provide an air tight seal between filter and air box.

GUARANTEED



This specially formulated Twin Air G.P. Filter Oil is recommended by Keith McCarty, National M-X winning mechanic, for all foam air filters. Its unique properties traps all dust and dirt and sheds water that may splash on the filter.


PICK-UP YOUR HURRICANE FILTERS AT YOUR HI-POINT RACING PRODUCTS DEALER

HI-POINT RACING PRODUCTS

3709 W. Erie Ave., Lorain, OH 44053 9604 Oates Dr., Sacramento, CA 95827



KEITH McCARTY



ALL-NEW VOLUME II

The second issue of the hottest selling *Dirt Wheels* magazine is hitting the newsstand on June 30. If you can't find it at your newsstand, hurry and we will send a copy directly to you for only \$2.50 plus 75 cents for postage and handling.

Dirt Wheels. It's the only magazine to give you the total picture on the fast-growing three-wheel and Odyssey sport. Whether you're into racing,

tech ideas, or playing around — we've got you covered.



VOLUMEI

Also, there are a few copies of the first issue of Dirt Wheels still available. Send in for both — you'll be glad you did.

Make check or money order payable to: DIRT WHEELS,	Box 317	Encino,	California 91316
SEND ME: □VOLUME1; □ALL-NEW VOLUME2			

Please enclose \$2.50 plus 75 cents postage and handling for each issue ordered. Canada add \$1.50 and all other foreign add \$2.50 postage and handling for each issue ordered. (U.S. funds, please)

Name	
Address	
City/State/Zip	

Order these tough DuPont Cordura Travel Packs direct from manufacturerfor Best Deal Ever!



Dura® Day Pack

Get a top-quality Day Pack made of durable, abrasion resistant DuPont Cordura Looks and feels like "Duck" canvas-yet it's lighter and outwears canvas. Waterproofed with an extra-heavy urethane coating — unaffected by rot or mildew. Large zippered capacity, 15" high, 17" wide, 6" depth. Comfortably padded, adjustable, reinforced

straps. Zippered outside pocket for "extra" capacity. Specify brown or tan.

plus \$1.00 for

shipping & handling

Send

Dura® Sport Duffel

Great as a gym bag or for short trips. Features rugged yet light-weight DuPont Cordura® material that looks and feels like "Duck" canvas yet outwears canvas. Heavy urethane coating is waterproof unaffected by rot or mildew. Multicolored striped handle. Size: 20" length x 10" depth. Nylon non-rust zipper. Specify brown or tan.



DuPont Cordura ® is a registered trademark.

ORDER RED POINT PRODUCTS INTERNATIONAL P.O. Box 623 • Evanston, IL 60201 TODAY Quantity Quantity for Prompt Dura® Day Pack \$20.95 _ Dura® Sport Duffel \$13.75 Enclose

Check

Money Order Ship-Color_ Add \$1.00 ea. for shipping & handling ment Address City





THE SECRET'S OUT. The all new PRO RIDING SECRETS by the Dirt Bike staff tells all. How the Pros do it . . . How to read any track . . . How to prep your bike . . . etc.

This is one secret you'll want to

Make check or money order payable to: PRO RIDINGS SECRETS, Box 317, Encino, California 91316.

Name	
Address	
City/State/Zip	

(Please enclose \$2 plus 50 cents postage and handling for each copy ordered. Canada add \$1 and all other foreign add \$1.50 postage and handling for each copy ordered. All items will be shipped by surface mail. U.S. funds please.)

SUZUKI RM125X

As we've come to expect, the motor mount bolts on the RM125X were a bit small for the holes. This translated into quite a bit of vibration for such a small bike. It might be a good idea to drill out all of the motor mounts slightly, to the next size up, and slide in some good-quality American aircraft fasteners.

Adjusting the preload on the single shock was grim. The manual recommends that the shock be removed for the operation, but that's a 20-minute job, from start to finish, working at a brisk pace with no interruptions.

We merely resorted to tapping on the jam and adjuster nuts with a rod through the bottom edge of the protective rubber flap between the tire and the shock. In short order, we start garring up the notches, as the adjusters are made of aluminum.



All-new hubs are found on the latest RMs, with center-pull spokes. The forks, brakes and wheel assemblies are all firet_rate

A call to U.S. Suzuki got us a reasonable alternative: use a Suzuki steering head adjusting spanner. It's long and supplies enough leverage for the job. Getting one might not be that easy, but you can at least bug your local shop to get one. Jeez! Another tool in the old toolbox.

Bits and pieces

The reservoir for the rear shock is way up front under the gas tank. It's routed past the pipe and engine, and picks up some heat on the way forward.

Rebound damping is available by flipping off a side panel and reaching in under a black rubber cover on the top of the shock. A knob resides there and has four different positions available. Number two or three should do the job for most riders.

(continued on page 66)

HE RIGID CYCLE HOLDDOWN

The 'No Hassle' way to transport your cycle!



Please allow 3 to 4 weeks for delivery

- No leakage due to excessive pressure on shocks No more broken chains or loose webb straps

The Rigid Cycle Holddown can solve your cycle transportation problems. Almost no pressure on your shocks-helping to prevent shock leakage. It's easy to install, the Rigid Cycle Holddown will adapt to most any trailer and all trucks. Load and unload your cycle in seconds. Durable, rustproof aluminum construction. Guaranteed satisfaction with one year warranty. ORDER YOURS TODAY - HERE'S HOW!


at a cost of \$35 each plus \$3 per set for postage

set(s) of the Rigid Cycle Holddown

art a cost of \$35 each plus \$3 per set for post and handling each. Please send check or m order to R&R Crawford Co., P.O. Box 184, City, IN 47586		
Mastercard #	Exp	
Visa#	Exp	
Name		
Address		
City/State/Zip		

Iwant

Use this form to notify us at least six weeks before vou move.



Please attach, in this space, the label from a recent issue to insure proper address corrections.

Mail to: DIRT BIKE MAGAZINE Subscription Dept. P.O. Box 317, Encino, CA 91316



NEW ADDRESS: Name Address City State Zip



SUZUKI RM125X

(continued from page 58)

Brakes at both ends proved excellent. We also liked the new-style hubs. Spoke loosening was no problem.

None of our people cared for the oldfashioned control levers and the stone age throttle cable routing. One flipflop fall will easily break the throttle guide where it exits the throttle housing-that's the end of the moto for you.

A non-folding shift lever comes on the 125. Tsk, tsk. In this day and age?

Plan on taking the arms and pivots of the Full Floater assembly apart regularly. Clean and grease all points. We like Bel-Ray Anti-Seize for this maintenance.

After a few hours of riding, we cut an inch off each side of the bars. Much better. Those bars feel odd at first, but once you put some time in on the bike, learn to stay forward and relax your arms, they aren't a half-bad shape.

Keep an eye on the rear sprocket bolts. Ours took a while to bed in properly.

It would be a good idea to try a Metzeler up front instead of the stock Bridgestone. The rear tire was okay while fresh.



NORTH AMERICAN SCHOOL OF MOTORCYCLE REPAIR



Floater or sinker?

The bottom line: An excellent bike with the finest rear suspension in its class; a match up front for anything else. It'll work best on real motocross tracks and absolutely shines in the rough. How's it stack up overall against all the other 125s?

Well, next month we have our annual 125 MX Shootout, and, since we gave you some tidy bits of information early in this test, you'll just have to wait until then to find out who the King of the Hill is for 1981.

One last thing: There will be more than the Big Four 125s in our Shootout. Possible surprises?



THE **FUNNIEST** MAGAZINE IN THE WORLD!

Dirt Bike's Believe it or not. This is the Crash & Burn of Crash & Burns. Be simply amazed at the many impossible ways a man and his machine can reak havoc. See for yourself the worst all-time crash of the decade. Over 300 riders opened the pages of Crash & Burn last year and were surprised to find themselves as C&B stars. Are you in this issue?

You've got to see it to believe it! Order yours today.

Make check or money order payable to: CRASH & BURN, Aug. '81, Box 317, Encino, California 91316.

(Please enclose \$2.50 plus 75 cents pos tage and handling for each copy ordered. Name. Canada add \$1.50 and all other foreign add \$2.50 postage and handling for each copy ordered. All items will be shipped by surface mail. U.S. funds, please.)

Address City/State/Zip .

DB7-1

CASTRE ... MAXIMUM PROTECTION FOR THE MX WARS!

Protect your hands and eyes. Wear the best gloves and goggles, CASTRE! Best protection. Best selection. Best quality. Best prices. CASTRE . . . the best . . . period!

C-8000 **HOT-CROSS** GLOVE \$27.95 RED-YELLOW. **NAVY-YELLOW**

C-8700 JUNIOR **HOT-CROSS** GLOVE \$14.95 RED-YELLOW. **NAVY-YELLOW**





C-3700 MOTOR CYCLE GOGGLE \$11.95 RED, YELLOW, NAVY, WHITE C-3800 FOG-FREE MOTORCYCLE GOGGLE \$18.95 NAVY, WHITE



ORDER BLANK

Please send the following post-paid items to:

A. Official Castre T-Shirt of the finest quality blend of 50% cotton and 50% polyester Blue with white lettering \$5.00

B. Blue and White Official Castre nylon mesh cap with silver and blue embroidered patch. \$5.00

C. Castre Patch and two blue and white Castre Stickers. \$2.00

TOTAL

CAP @ \$5.00 (One size fits all)

QUAN

PATCH, 2 STICKERS @ \$2.00 (Pa. residents please add 6% sales tax.) QUAN.

T-SHIRT @ \$5.00



836 Flory Mill Road Lancaster, Penna. 17601